

BEST AVAILABLE COPY

SEARCHED			
Class	Sub.	Date	Exmr.
600	300-301, 306, 309-344, 345-347, 365, 366, 368, 500-507, 437-438, 443-480	1/22/03	Ⓢ
Search update	†	4/13/04	Ⓢ
600	363 419, 423, 513, 516, 503, 504	4/13/04	Ⓢ

INTERFERENCE SEARCHED			
Class	Sub.	Date	Exmr.
600	300, 301, 309, 434, 461, 465, 477, 504, 505, 513, 516, 523, 524	4/14/04	Ⓢ

SEARCH NOTES (INCLUDING SEARCH STRATEGY)		
	Date	Exmr.
See attached		
Search update See attached	4/13/04	Ⓢ
Google determine site suitable/ appropriate for sampling flow rate and sample type	4/13/04	Ⓢ
Medline determine suitable site sampling biological indicator fluent	4/13/04	Ⓢ
also, EAST: → USPT, 7th Ed. document (Site or area or stream or body) w/ sample w/ (flow adj. rate)	4/13/04	Ⓢ
(extension or description) w/ (sample or bioassay) w/ (flow adj. rate) or (fluid w/ (material or classification or type))	4/13/04 (7 h. 15)	Ⓢ